

# SH450 -1200-K(220)-P05

Searchlight with metal halide lamp Ø 450mm 1200W 230V

Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

| | |
|---|---|
| **WISKA-Order no.** | 10101973 |
| **Type** | SH450 -1200-K(220)-P05 |
| **Material** | Stainless steel |
| **Wattage** | 1200 W |
| **Colour** | RAL 9016 |
| **Surface** | Powder coated |
| **Voltage** | 230 V |
| **Type of Voltage** | AC |
| **Frequence** | 50/60 Hz |
| **Protection class** | IP56 |
| **Operational areas** | Outdoor |
| **Reflector** | Glass |
| **Focusing** | fixed focus |
| **Lightsource** | Metal halide lamp |
| **Lightsource incl.** | Yes |
| **Bulb shape** | rod shaped |
| **Average lamp durability** | 750 h |
| **Light performance** | immediately, Maximum light after 45 sec. |
| **Range (1 lux)** | 4100 m |
| **Light intensity mio/cd** | 17 |
| **Divergence** | 5°I/10 |
| **Lampholder** | SFc15,6-6 |
| **Number of lampholder** | 1 items |
| **Temp. range min** | -25 °C |
| **Temp. range max** | 45 °C |

Your Contact:
**WISKA UK Ltd.**
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk



Other technical data on request / subject to change without notice

| | |
|---|---|
| **Power supply, standard** | PSUH: HMI, 1200W, 230VAC |
| **Type of cable gland** | ESKVS 20 |
| **Material cable gland** | Polyamide |
| **Type of cable** | non-armoured |
| **Power cable** | NYSLYÖ-JZ 5x1,5mm² |
| **Ø cable diameter min** | 6 mm |
| **Ø cable diameter max** | 13 mm |
| **Globe colour** | Clear |
| **Mounting** | Upside |
| **Weight** | 60 kg |
| **Tariff number** | 94054910 |

Remarks:

SH450: Searchlight with metal halide lamp 1200W, IP56 glass parabolic mirror 450mm
1200W
K(220): Power supply unit, conventional, PSUH, 220V
P05: Pedestal, Aluminium

Equipment:

- Toughened front glass
- Rubber sealing
- Quick fastening devices
- Ignition unit and stand-by heater
- Connection cable 3m
- Anti dazzle screen

**Spare parts**


| | |
|---|---|
| **SP-S-450 front frame + front glass** | 22000018 |
| **SP-SX/SH-450 Primary mirror** | 22000019 |
| **SP-S-Quick releases clamp (4 pcs)** | 22000050 |
| **SP-SKS-Auxiliary mirror LSH 400/450** | 22000106 |
| **SP-SW-Gasket for searchlight housing** | 22000116 |
| **SP-SH-Metal halide lamp 1200W 230V SFC** | 22000593 |
| **SP-SH450-PSUH-1200W Choke (L1)** | 22000800 |

06.11.2026

Your Contact:
**WISKA UK Ltd.**
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk




Other technical data on request / subject to change without notice




Your Contact:
**WISKA UK Ltd.**
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk



Other technical data on request / subject to change without notice




Your Contact:
**WISKA UK Ltd.**
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk



Other technical data on request / subject to change without notice