

510/2/11xRK1,5/2xMMSKE-RDE 24 EMV-Z

Ex Junction box, zone 1, brass, IP66







Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

Type	510/2/11xRK1,5/2xMMSKE-RDE 24 EMV-Z
WISKA-Order no.	10104222
Material	Brass
Protection class	IP66
Temp. range min	-55 °C
Temp. range max	130 °C
Operational areas	Explosion protection
Mounting	Surface mounting
Approval	RMRS, DNV-GL
Voltage	690 V
Weight	1,5 kg
Tariff number	85369010


Equipment:

- Position of cable entries is exchangeable
- 11 terminals 1,5mm²
- cable gland: 2x MMSKE-RDE 24 EMV-Z for armoured cable 7-17mm in diameter

06.11.2026


Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice



Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice



Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice