
WHK 608A

Junction box





Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

Material	Polystyrene
Temp. range min	-20 °C
Temp. range max	60 °C
Temperatures during install.	-5 °C - 60 °C
Protection class	IP20
Voltage	400 V
Ø cable diameter min	5 mm
Ø cable diameter max	13 mm
External dimensions LxWxH	108 x 98 x 57 mm
Using for cable gland	
Product Color	RAL 7035
WISKA-Order no.	10105991
Type	WHK 608A
Packing unit	5
EAN number	4007686014624
Tariff number	85369010

Remarks:

Inlc. 5x cover for potential equalisation
and 3 x pipe fittings

Recommended accessories

MP-S Mounting plate small	10105774
MP-L Mounting plate large COMBI / WHK	10105775


Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice

07.11.2026

Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice



Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice