
# SX450 -2000+EO(220)-P08

Searchlight with Xenon lamp Ø 450mm 2000W 230V







Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

| | |
|---|---|
| **WISKA-Order no.** | 10106119 |
| **Type** | SX450 -2000+EO(220)-P08 |
| **Material** | Stainless steel |
| **Wattage** | 2000 W |
| **Colour** | RAL 9016 |
| **Surface** | Powder coated |
| **Voltage** | 230 V |
| **Type of Voltage** | AC |
| **Frequence** | 50/60 Hz |
| **Protection class** | IP56 |
| **Operational areas** | Outdoor |
| **Reflector** | Glass |
| **Focusing** | fixed focus |
| **Lightsource** | Xenon lamp |
| **Lightsource incl.** | Yes |
| **Luminous flux** | 80000 lm |
| **Average lamp durability** | 2400 h |
| **Light performance** | immediately |
| **Range (1 lux)** | 9600 m |
| **Light intensity mio/cd** | 92 |
| **Divergence** | 2,7°I/10 |
| **Lampholder** | GY 16 |
| **Number of lampholder** | 1 items |
| **Temp. range min** | -25 °C |
| **Temp. range max** | 45 °C |

Your Contact:
**WISKA UK Ltd.**
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk



Other technical data on request / subject to change without notice

| | |
|---|---|
| **Power supply, electronic** | PSUX-E: 2000W outdoor |
| **Type of cable gland** | M 25 x 1,5 |
| **Material cable gland** | Brass |
| **Type of cable** | non-armoured |
| **Ø cable diameter min** | 8 mm |
| **Ø cable diameter max** | 10,5 mm |
| **Globe colour** | Clear |
| **Mounting** | Upside |
| **Weight** | 69 kg |
| **Tariff number** | 94054910 |

Remarks:

SX450: Searchlight with xenon short arc lamp, 2000W, IP56 glass parabolic mirror 450mm
2000W
EO(220): Electronic power supply unit PSUX-E 50-60Hz operating voltage, outside IP 66/67 + heater
P08: Cabin Control, C 400/450, aluminium

Equipment:

- Toughened front glass
- Rubber sealing
- Quick fastening devices
- Ignition unit
- Stand-by heater
- Connection cable 3m
- Anti dazzle screen

**Spare parts**


| | |
|---|---|
| **SP-S-450 front frame + front glass** | 22000018 |
| **SP-SX/SH-450 Primary mirror** | 22000019 |
| **SP-SX/SH-450 Auxiliary reflector 100mm** | 22000020 |
| **SP-SX450 Blower kit for searchlight head** | 22000025 |
| **SP-SX450 Thermostat for blower 50°C** | 22000026 |
| **SP-S-Quick releases clamp (4 pcs)** | 22000050 |
| **SP-SW-Gasket for searchlight housing** | 22000116 |
| **SP-SX450 Xenon lamp Kit 2000W (from2012)** | 22000234 |
| **SP-S Folding bellow** | 22000867 |
| **SP-SX450-PSUX-E-V4 Mounting plate 2000W** | 22000887 |

06.11.2026

Your Contact:
**WISKA UK Ltd.**
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk



Other technical data on request / subject to change without notice




Your Contact:
**WISKA UK Ltd.**
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk



Other technical data on request / subject to change without notice