
BCAV-S-14-BG

Conduit PA6 UL94-V2, RAL 7031, NW14



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

Material	PA6 UL94-V2
Temp. range min	-40 °C
Temp. range max	125 °C
Product Color	RAL 7031
NW	14
External diameter ED	18,5 mm
Ø inside	14,2 mm
Profile width A	3,3 mm
Width B	2,3 mm
Bending radius R	50 mm
Wall thickness S	0,3 mm
Model	Standard profile
Type	BCAV-S-14-BG
Order no. RAL 7031	10107098
Packing unit	50 m
EAN number	4007686037272
Tariff number	39173900
ETIM-Classification	EC001175


Recommended accessories

EBFS-14-20-BG	10106849
EMBFS-14-20-BG	10106882

07.11.2026


Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice



Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice



Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice