
EMBMFS-C-21-25

Metal Conduit fitting brass nickel-plated, NW21/M25, corrugated





Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

Material Conduit fitting	Brass nickel-plated
Material sealing gasket	PA
Protection class	IP67
Temp. range min	-45 °C
Temp. range max	145 °C
NW	21
Thread type	M
Ø Connection thread D	25
Lead	1,5
Length screw-in thread L	9 mm
Ø closure VD	33 mm
Ø inside	20,5 mm
Key width SW1	33 mm
Key width SW2	35 mm
Total length TL	36,8 mm
Using for Conduit	corrugated
Type	EMBMFS-C-21-25
WISKA-Order no.	10109104
Packing unit	5
EAN number	4007686081039
Tariff number	74122000
ETIM-Classification	EC001180

Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice


Recommended accessories

BMCG-PVC-C-21-BK	10109010
BMCG-PVC-C-21-LG	10109018
BMCG-PU-C-21-BK	10109058
BMCG-PU-C-21-BL	10109066
BMCG-PU-C-21-LG	10109074
BMCG-PVC-C-BG-21	10109082

07.11.2026

Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice



Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice