
EMBMFS-S-35-40

Metal Conduit fitting brass nickel-plated, NW35/M40, smooth





Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

Material Conduit fitting	Brass nickel-plated
Material sealing gasket	PA
Protection class	IP67
Temp. range min	-45 °C
Temp. range max	145 °C
NW	35
Thread type	M
Ø Connection thread D	40
Lead	1,5
Length screw-in thread L	11 mm
Ø closure VD	60 mm
Ø inside	34,5 mm
Key width SW1	52 mm
Key width SW2	54 mm
Total length TL	46,8 mm
Using for Conduit	smooth
Torque nozzle	25 N/m
Torque cap nut	25 N/m
Type	EMBMFS-S-35-40
WISKA-Order no.	10109111
Packing unit	2
EAN number	4007686081138
Tariff number	74122000
ETIM-Classification	EC001180

Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice


Recommended accessories

BMCG-PVC-S-35-BK	10109028
BMCG-PVC-S-35-LG	10109036
BMCG-PVC-S-35-BK-GT	10109044
BMCG-PVC-S-35-LG-GT	10109052

06.11.2026

Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice



Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice