
# EMBMFS-S-40-50

Metal Conduit fitting brass nickel-plated, NW40/M50, smooth






Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

| | |
|---|---|
| **Material Conduit fitting** | Brass nickel-plated |
| **Material sealing gasket** | PA |
| **Protection class** | IP67 |
| **Temp. range min** | -45 °C |
| **Temp. range max** | 145 °C |
| **NW** | 40 |
| **Thread type** | M |
| **Ø Connection thread D** | 50 |
| **Lead** | 1,5 |
| **Length screw-in thread L** | 14 mm |
| **Ø closure VD** | 69 mm |
| **Ø inside** | 39,5 mm |
| **Key width SW1** | 60 mm |
| **Key width SW2** | 62 mm |
| **Total length TL** | 54,5 mm |
| **Using for Conduit** | smooth |
| **Torque nozzle** | 35 N/m |
| **Torque cap nut** | 35 N/m |
| **Type** | EMBMFS-S-40-50 |
| **WISKA-Order no.** | 10109115 |
| **Packing unit** | 2 |
| **EAN number** | 4007686081213 |
| **Tariff number** | 74122000 |
| **ETIM-Classification** | EC001180 |

Your Contact:
**WISKA UK Ltd.**
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk



Other technical data on request / subject to change without notice

**Recommended accessories**


| | |
|---|---|
| **BMCG-PVC-S-40-BK** | 10109029 |
| **BMCG-PVC-S-40-LG** | 10109037 |
| **BMCG-PVC-S-40-BK-GT** | 10109045 |
| **BMCG-PVC-S-40-LG-GT** | 10109053 |

06.11.2026

Your Contact:
**WISKA UK Ltd.**
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk



Other technical data on request / subject to change without notice




Your Contact:
**WISKA UK Ltd.**
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk



Other technical data on request / subject to change without notice