
EMBMFS-C-40-50

Metal Conduit fitting brass nickel-plated, NW40/M50, corrugated





Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

Material Conduit fitting	Brass nickel-plated
Material sealing gasket	PA
Protection class	IP67
Temp. range min	-45 °C
Temp. range max	145 °C
NW	40
Thread type	M
Ø Connection thread D	50
Lead	1,5
Length screw-in thread L	14 mm
Ø closure VD	69 mm
Ø inside	39,5 mm
Key width SW1	60 mm
Key width SW2	62 mm
Total length TL	54,5 mm
Using for Conduit	corrugated
Torque nozzle	35 N/m
Torque cap nut	35 N/m
Type	EMBMFS-C-40-50
WISKA-Order no.	10109116
Packing unit	2
EAN number	4007686081237
Tariff number	74122000
ETIM-Classification	EC001180

Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice


Recommended accessories

BMCG-PVC-C-40-BK	10109013
BMCG-PVC-C-40-LG	10109021
BMCG-PU-C-40-BK	10109061
BMCG-PU-C-40-BL	10109069
BMCG-PU-C-40-LG	10109077
BMCG-PVC-C-BG-40	10109085

07.11.2026

Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice



Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice