
BCI-S-29-BK

Conduit PA12 UL94-V1, RAL 9005, NW29



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.


HL3 EN 45545 · BRACE · RoHS

Material	WISKAmid PA12 V1 RW
Temp. range min	-50 °C
Temp. range max	120 °C
Product Color	RAL 9005
NW	29
External diameter ED	34,5 mm
Ø inside	28,9 mm
Profile width A	3,4 mm
Width B	3,4 mm
Bending radius R	67 mm
Wall thickness S	0,4 mm
Model	Standard profile
Type	BCI-S-29-BK
Order no. RAL 9005	10109953
Packing unit	25 m
EAN number	4007686105100
Tariff number	39173900
ETIM-Classification	EC001177

06.11.2026


Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice



Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice



Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice