
BCI-S-48-BK

Conduit PA12 UL94-V1, RAL 9005, NW48



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.


HL3 EN 45545 BRACE RoHS

Material	WISKAmid PA12 V1 RW
Temp. range min	-50 °C
Temp. range max	120 °C
Product Color	RAL 9005
NW	48
External diameter ED	54,2 mm
Ø inside	47,5 mm
Profile width A	4,2 mm
Width B	2,8 mm
Bending radius R	102 mm
Wall thickness S	0,5 mm
Model	Standard profile
Type	BCI-S-48-BK
Order no. RAL 9005	10109955
Packing unit	25 m
EAN number	4007686105124
Tariff number	39173900
ETIM-Classification	EC001177

07.11.2026


Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice



Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice



Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice