
# VMSKV-C 80






Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

| | |
|---|---|
| **Material cable gland** | Brass lead-free chromium-plat. |
| **Material clamping cage** | Polyamide |
| **Material sealing gasket** | EPDM |
| **Temp. range min** | -40 °C |
| **Temp. range max** | 100 °C |
| **Protection class** | IP66 / IP68 (5 bar 30 min), IP69 |
| **Thread type** | M |
| **Ø Connection thread D** | 80 |
| **Lead** | 2 |
| **Length screw-in thread L** | 18 mm |
| **Ø cable diameter min** | 48 mm |
| **Ø cable diameter max** | 62 mm |
| **Key width SW1** | 82 mm |
| **Key width SW2** | 85 mm |
| **Collar diameter E1** | 90 mm |
| **Collar diameter E2** | 93 mm |
| **Total length TL** | 64 mm - 81 mm |
| **Type of cable anchorage** | A |
| **Install. torques fitting** | 40 N/m |
| **Install. torques cap nut** | 40 N/m |
| **Impact category** | 6 |
| **Surface** | Chromium-plated |
| **WISKA-Order no.** | 10114202 |
| **Type** | VMSKV-C 80 |
| **Packing unit** | 1 |

Your Contact:
**WISKA UK Ltd.**
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk



Other technical data on request / subject to change without notice


| | |
|---|---|
| **Tariff number** | 85369010 |
| **EAN number** | 4007686328899 |
| **ETIM-Classification** | EC000441 |
| **VG Registration number** | E71E330/26002 |
| **VG Labeling** | VG88846-4-A009-C-LF |

07.11.2026

Your Contact:
**WISKA UK Ltd.**
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk



Other technical data on request / subject to change without notice




Your Contact:
**WISKA UK Ltd.**
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk



Other technical data on request / subject to change without notice