

PH D 6652.02 SI BF

Schuko double sockets surface mounting







Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

WISKA-Order no.	50015716
Type	PH D 6652.02 SI BF
Voltage	250 V
Current	16 A
Protection class	IP20
Material	Urea moulding compound
External dimensions LxWxH	61x98x41,6mm
Socket insert	SCHUKO
Weight	0,12 kg
Colour	Pure white, similar RAL 9010
Mounting	Surface mounting
Variations	on request
Tariff number	85366990


Remarks:

Schuko double socket surface mounting
IP 20
with screw terminals
heightened electric shock protection
Current intensity: 16A
Material: Duroplast
Colour: pure white, similar RAL 9010
Socket interior: 2-pole + PE
98x60x40,8mm

07.11.2026


Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice



Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice



Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice