
TKL-Lumius-Flex-30135DIM-SUNNEX

LED Chart table light 4W 12-36V DC IP20





Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

WISKA-Order no.	50105594
Type	TKL-Lumius-Flex-30135DIM-SUNNEX
Wattage	4 W
Power^	1 x 4 W
Voltage	36 V
Voltage min. (V)	12 V
Voltage max. (V)	36 V
Type of Voltage	DC
Protection class	IP20
Lightsource	LED
Lightsource incl.	Yes
Bulb shape	reflector
Colour temperature	4300 K
Average lamp durability	75000 h
Mounting	Desktop
External dimensions LxWxH	970x60x68mm
Type of switch	On-Off, 2-pole
Colour	Black
Weight	1,2 kg

Remarks:

LED Chart table light - Lumius Flex

Light source: LED 4W inclusive and dimmable

Color Rendering Index: CRI 93

Base: Equipped with four mouting holes

Power Switch and Rotary Dimmer

Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice

placed in the base
Cable length: 2 m
Arm length: 700mm
Lamp head with joint


Spare parts

SP-TKL-HM35/Lumius Glass HM red	22000763


07.11.2026

Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice







Your Contact:
WISKA UK Ltd.
Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain
☎ +44-12-08816062 · 🖷 +44-12-08816708
info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice